

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1. (Currently Amended) An apparatus comprising:

media data processing circuitry configured to perform at least a first data processing algorithm on media data adapted to provide media processing functionality in the apparatus;

~~a connector adapted to establish a communication link between the apparatus and a mobile telecommunications terminal; and~~

~~accessory interface circuitry adapted configured to transfer provide a message for transfer to the a mobile telecommunications terminal via the connector, said message comprising a specification identifying of at least a part of the at least a first data processing algorithm media processing functionality providedperformable by the media data processing circuitry included in the apparatus,~~

~~wherein the apparatus is adapted to transfer a message to the mobile communications terminal comprising a command to the mobile communications terminal to disable the specified processing functionality in a second media processing circuitry, the second media processing circuitry located in the mobile telecommunications terminal; and~~

~~wherein the media data processing circuitry is configured, following disablement of further media data processing circuitry configured to perform at least a second data processing algorithm on media data in the mobile telecommunications terminal, to perform the at least a first data processing algorithm on first media data in place of the performance of the at least a second data processing algorithm on the first media data in the mobile telecommunications terminalthe apparatus is configured to receive media data forwarded from the mobile telecommunications terminal for processing by the media processing circuitry of the apparatus due to the disabling of the second media processing circuitry of the mobile telecommunications terminal.~~

2. (Canceled).

3. (Currently Amended) An apparatus according to claim 1, wherein the accessory interface circuitry is ~~adapted~~ configured to receive a request, from the mobile

telecommunications terminal, for a transfer of the message before transferring the message to the mobile communications terminal.

4. (Currently Amended) An apparatus according to claim 1, comprising media transferring circuitry ~~for transferring~~ configured to transfer the first media data between from the apparatus and to the mobile telecommunications terminal, following the performance of the at least a first data processing algorithm on the first media data.

5. (Currently Amended) An apparatus according to claim 4, wherein the media transferring circuitry is ~~adapted~~ configured to transfer audio data, video data or image data.

6. (Currently Amended) An apparatus according to claim 1, wherein the at least a first data processing algorithm and the at least a second data processing algorithm are media processing circuitry is adapted to perform an echo-canceling algorithms.

7. (Currently Amended) An apparatus according to claim 1, wherein the at least a first data processing algorithm and the at least a second data processing algorithm are media processing circuitry is adapted to perform a frequency equalizing algorithms.

8. (Currently Amended) A method comprising:

~~coupling an accessory device with media processing capabilities to a mobile telecommunications terminal;~~

~~transferring providing a message for transfer from the accessory device~~ an apparatus to the a mobile telecommunications terminal via said coupling, the apparatus comprising media data processing circuitry configured to perform at least a first data processing algorithm on media data, the mobile telecommunications terminal comprising further media data processing circuitry configured to perform at least a second data processing algorithm on media data, and the said message comprising a specification identifying the at least a first data processing algorithm performable by the media data processing circuitry of at least a part of a media processing functionality provided by the accessory device; and

following disablement of the further media data processing circuitry of the mobile telecommunications terminal. performing the at least a first data processing algorithm on first

~~media data in the apparatus in place of the performance of the at least a second data processing algorithm on the first media data in the mobile telecommunications terminal wherein the message comprises a command to the mobile communications terminal to disable the specified processing functionality in media processing circuitry in the mobile telecommunications terminal, and~~

~~wherein the accessory device is configured to receive media data forwarded from the mobile telecommunications terminal for processing by media processing circuitry of the accessory device due to the disabling of the specified processing functionality in the media processing circuitry of the mobile telecommunications terminal.~~

9. (Canceled)

10. (Currently Amended) A method according to claim 8, ~~wherein accessory interface circuitry~~ further comprising receiving receives a request, from the mobile telecommunications terminal, for a transfer of the message before transferring the message to the mobile communications terminal.

11. (Currently Amended) A method according to claim 8, ~~wherein the accessory device transfers~~ further comprising transferring the first media data, following the performance of the at least a first data processing algorithm on the first media data, to the mobile telecommunications terminal ~~which is processed in the accessory device in accordance with the specified processing functionality.~~

12. (Currently Amended) A method according to claim 11, wherein the transferred first media data is audio data, video data or image data.

13. (Currently Amended) A method according to claim 8, wherein the at least a first data processing algorithm and the at least a second data processing algorithm are media processing in the accessory device ~~comprises an echo-canceling algorithms.~~

14. (Currently Amended) A method according to claim 8, wherein the at least a first data processing algorithm and the at least a second data processing algorithm are media processing in the accessory device ~~comprises a frequency equalizing algorithms.~~

## 15-16. (Cancelled)

17. (New) The apparatus according to claim 1, wherein the media data processing circuitry is configured to perform the at least a first data processing algorithm on first media data in place of the performance of the at least a second data processing algorithm on the first media data in the mobile telecommunications terminal, following delegation of a processing task to the apparatus by the mobile telecommunications terminal.

18. (New) The apparatus according to claim 1, wherein the media data is audio data and the at least a first data processing algorithm and the at least a second data processing algorithm are audio data processing algorithms.

19. (New) The method according to claim 8, further comprising: transferring the message from the apparatus to the mobile telecommunications terminal and, following transfer of the message, disabling the further media data processing circuitry of the mobile communications terminal.

20. (New) The method according to claim 8, wherein the at least a first data processing algorithm is performed on the first media data in place of the performance of the at least a second data processing algorithm on the first media data in the mobile telecommunications terminal, following delegation of a processing task to the apparatus by the mobile telecommunications terminal

21. (New) A computer-readable medium storing computer program instructions that, when executed by processing circuitry of an apparatus, cause the apparatus to perform:

providing a message for transfer from the apparatus to a mobile telecommunications terminal, the apparatus comprising media data processing circuitry configured to perform at least a first data processing algorithm on media data, the mobile telecommunications terminal comprising further media data processing circuitry configured to perform at least a second data processing algorithm on media data, and the message comprising a specification identifying the at least a first data processing algorithm performable by the media data processing circuitry; and

following disablement of the further media data processing circuitry of the mobile telecommunications terminal, performing the at least a first data processing algorithm on first media data in the apparatus in place of the performance of the at least a second data processing algorithm on the first media data in the mobile telecommunications terminal.

22. (New) The computer-readable medium according to claim 21, wherein the instructions further cause the apparatus to perform: transferring the first media data from the apparatus to the mobile telecommunications terminal, following the performance of the at least a first data processing algorithm on the first media data.